






WALL

BRIGHT & MATTET





BRIGHT & MATTE™

GLAZED CERAMIC WALL

BRIGHT



MATTE



(1), (2), (3), (4) & (5) notations indicate price group, (1) being the least expensive.

- Available in Chair Rail.
- These colors are special order and requires 1-2 weeks for delivery from date of order.
- Subject to crazing. Do not use black grout.
- These colors are made to order and requires 6-8 weeks for delivery from date of order.

BRIGHT & MATTE™

GLAZED CERAMIC WALL

SIZES, SHADE VARIATION & PRICING







(V1) WALL TILE (4-1/4" x 4-1/4") (10.80 cm x 10.80 cm)



TILE THICKNESS: 5/16" **RECOMMENDED GROUT JOINT: 1/16"** RELATIVE PRICING: Low to Medium

OTHER APPLICATIONS

	SUITABLE
Walls/Backsplashes	
Countertops	©*
Pool Linings	•

 $^{^{}st}$ Matte finish only. Darker colors may show scratches.

 $Suitable \ for \ exterior \ applications \ in \ non-freezing \ climates \ only \ when \ proper \ installation \ methods \ are$ followed.

PERFORMANCE CHARACTERISTICS

	MOISTURE ABSORPTION	BREAKING STRENGTH	монѕ	CHEMICAL RESISTANCE
Bright & Matte	< 20.00%	120 - 230 lbs.	4.0 - 6.0	Resistant

CLEANING PROCEDURES

- Remove loose dust and dirt with a damp cloth or sponge
- Use a neutral, non-abrasive cleaner suitable for ceramic tile - Remove cleaning solution with a clean, damp sponge or mop

INSTALLATION METHODS BACKING MATERIALS

- Concrete
- Exterior grade plywood
- Cementitious backer board

SETTING

- Latex modified thin-set
- Ероху

GROUTING

- Unsanded grout
- Epoxy grout

TRIM

Bullnose Corner SN-4269 2 x 2 250 1 m, 2 a, 3, 4, Surface Bullnose S-4449 4-1/4 x 4-1/4 100 1, 2, 3, 4, 5 Surface Bullnose Corner SCRL-4449 4-1/4 x 4-1/4 100 1, 2, 3, 4, 5 Surface Bullnose S-4669 6 x 6 50 1, 2, 4 Surface Bullnose Corner SCRL-4669 6 x 6 50 1, 2, 4 Radius Bullnose A-4402 4-1/4 x 4-1/4 84 1 m, 4 Radius Bullnose Corner ACRL-4402 4-1/4 x 4-1/4 30 1 m, 4 Radius Bullnose A-3602 6 x 6 44 1 m Radius Bullnose Corner ACRL-3602 6 x 6 20 1 m Radius Bullnose Corner ACRL-3602 Radius Bullnose Corner ACRL-3602 1 m Radius Bullnose A-4200 (6" side) 2 x 6 1 m 1 m, 2 a, 3, 4,	SHAPE	DESCRIPTION	SIZE	PIECES/CTN	GROUP
Surface Bullnose S-4449 4-1/4 x 4-1/4 100 1, 2, 3, 4, 5 Surface Bullnose Corner SCRL-4449 4-1/4 x 4-1/4 100 1, 2, 3, 4, 5 Surface Bullnose S-4669 6 x 6 50 1, 2, 4 Surface Bullnose Corner SCRL-4669 6 x 6 50 1, 2, 4 Radius Bullnose A-4402 4-1/4 x 4-1/4 84 1m, 4 Radius Bullnose Corner ACRL-4402 4-1/4 x 4-1/4 30 1m, 4 Radius Bullnose A-3602 6 x 6 44 1m Radius Bullnose Corner ACRL-3602 6 x 6 20 1m Radius Bullnose Outcorner AN-4200 2 x 2 200 1m, 2 a, 3, 4, 5 Cove Base A-3401 4-1/4 x 4-1/4 84 1, 2, 4 Cove Base Corner ACRL-3401 4-1/4 x 4-1/4 30 1m, 4 Cove Base Corner ACRL-3401 4-1/4 x 4-1/4 30 1m, 4 Cove Base Corner SCR/L-3401 4-1/4 x 4-1/4 30 1m, 4 Cove Base A-3601 6 x 6 44 1m, 2 a, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1m, 2 a, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1m, 2 a, 4 Sanitary Cove Base Corner SCR/L-3419T 6 x 6 40 1m, 4 Sanitary Cove Base Corner SCR/L-3419T 6 x 6 40 1m, 4 V-Cap WA-8262 2 x 6 66 1xm, 2 a, 4 V-Cap Outcorner WAM-8262 2 x 2 40 1xm, 2 a, 4 Quarter Round A-106 3/4 x 6 152 1m, 2 a, 4		Surface Bullnose S-4269 (6" side)	2 x 6	100	1∎, 2▲, 3, 4, 5
Surface Bullnose Corner SCRL-4449 4-1/4 x 4-1/4 100 1, 2, 3, 4, 5 Surface Bullnose S-4669 6 x 6 50 1, 2, 4 Surface Bullnose Corner SCRL-4669 6 x 6 50 1, 2, 4 Radius Bullnose A-4402 4-1/4 x 4-1/4 84 1∎, 4 Radius Bullnose Corner ACRL-4402 4-1/4 x 4-1/4 30 1∎, 4 Radius Bullnose Corner ACRL-3602 6 x 6 44 1∎ Radius Bullnose A-4200 (6" side) 2 x 6 100 1∎, 2 ▲, 3, 4, Radius Bullnose Outcorner AN-4200 2 x 2 200 1∎, 2 ▲, 3, 4, Cove Base A-3401 4-1/4 x 4-1/4 84 1, 2, 4 Cove Base Corner ACRL-3401 4-1/4 x 4-1/4 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Bullnose Corner SN-4269	2 x 2	250	1∎, 2▲, 3, 4, 5
Surface Bullnose S-4669 6 x 6 50 1, 2, 4 Surface Bullnose Corner SCRL-4669 6 x 6 50 1, 2, 4 Radius Bullnose A-4402 4-1/4 x 4-1/4 84 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Surface Bullnose S-4449	4-1/4 × 4-1/4	100	1, 2, 3, 4, 5
Surface Bullnose Corner SCRL-4669 6 x 6 50 1, 2, 4 Radius Bullnose A-4402 4-1/4 x 4-1/4 84 1∎, 4 Radius Bullnose Corner ACRL-4402 4-1/4 x 4-1/4 30 1∎, 4 Radius Bullnose A-3602 6 x 6 44 1∎ Radius Bullnose Corner ACRL-3602 6 x 6 20 1∎ Radius Bullnose Corner ACRL-3602 6 x 6 100 1∎, 2♠, 3, 4, Radius Bullnose Outcorner AN-4200 2 x 2 200 1∎, 2♠, 3, 4, Cove Base A-3401 4-1/4 x 4-1/4 84 1, 2, 4 Cove Base Corner ACRL-3401 4-1/4 x 4-1/4 30 1∎, 4 Cove Base Corner SCR/L-3401 4-1/4 x 4-1/4 30 1∎, 2♠, 4 Cove Base Corner SCR/L-3601 6 x 6 44 1∎, 2♠, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1∎, 2♠, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1∎, 2♠, 4 Sanitary Cove Base Corner SCR/L-3619T 6 x 6 40 1∎, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Surface Bullnose Corner SCRL-4449	4-1/4 x 4-1/4	100	1, 2, 3, 4, 5
Radius Bullnose A-4402		Surface Bullnose S-4669	6 x 6	50	1, 2, 4
Radius Bullnose Corner ACRL-4402 4-1/4 x 4-1/4 30 1∎, 4 Radius Bullnose A-3602 6 x 6 44 1 1		Surface Bullnose Corner SCRL-4669	6 x 6	50	1, 2, 4
Radius Bullnose A-3602 6 x 6 44 1		Radius Bullnose A-4402	4-1/4 × 4-1/4	84	1∎, 4
Radius Bullnose Corner ACRL-3602 6 x 6 20 1		Radius Bullnose Corner ACRL-4402	4-1/4 × 4-1/4	30	1∎, 4
Radius Bullnose A-4200 (6" side) 2 x 6 100 1		Radius Bullnose A-3602	6 x 6	44	1=
Radius Bullnose Outcorner AN-4200 2 x 2 200 1 m, 2 a, 3, 4, Cove Base A-3401 4-1/4 x 4-1/4 84 1, 2, 4 Cove Base Corner ACRL-3401 4-1/4 x 4-1/4 30 1 m, 4 Cove Base Corner SCR/L-3401 4-1/4 x 4-1/4 30 1, 2, 4 Cove Base Corner SCR/L-3601 6 x 6 44 1 m, 2 a, 4 Cove Base Corner SCR/L-3601 6 x 6 20 1 m, 2 a, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1 m, 2 a, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1 m, 2 a, 4 Sanitary Cove Base Corner SCR/L-3419T 6 x 6 40 1 m, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1 m, 4 V-Cap WA-8262 2 x 6 66 1 m, 2 x V-Cap Outcorner WAC-8262 2 x 2 40 1 m, 2 a, 4 Quarter Round A-106 3/4 x 6 152 1 m, 2 a, 4		Radius Bullnose Corner ACRL-3602	6 x 6	20	1=
Cove Base A-3401		Radius Bullnose A-4200 (6" side)	2 x 6	100	1∎, 2▲, 3, 4, 5
Cove Base Corner ACRL-3401 4-1/4 x 4-1/4 30 1∎, 4 Cove Base Corner SCR/L-3401 4-1/4 x 4-1/4 30 1, 2, 4 Cove Base A-3601 6 x 6 44 1∎, 2 ♠, 4 Cove Base Corner SCR/L-3601 6 x 6 20 1∎, 2 ♠, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1∎, 2 ♠, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1∎, 2 ♠, 4 Sanitary Cove Base S-3619T 6 x 6 40 1ш, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1 x		Radius Bullnose Outcorner AN-4200	2 x 2	200	1∎, 2▲, 3, 4, 5
Cove Base Corner SCR/L-3401 4-1/4 x 4-1/4 30 1, 2, 4 Cove Base A-3601 6 x 6 44 1 1 2, 2 4, 4 Cove Base Corner SCR/L-3601 6 x 6 20 1 2, 2 4, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1 2, 2 4, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1 2, 2 4, 4 Sanitary Cove Base S-3619T 6 x 6 40 1 2, 4 4, 4 5 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1 2 3, 4 5 V-Cap WA-8262 2 x 6 66 1 2 3, 4 5 V-Cap Outcorner WAC-8262 2 x 2 40 1 3 3, 4 x 6 Quarter Round A-106 3/4 x 6 152 1 3, 2 4, 4		Cove Base A-3401	4-1/4 × 4-1/4	84	1, 2, 4
Cove Base A-3601 6 x 6 44 1st, 2a, 4 Cove Base Corner SCR/L-3601 6 x 6 20 1st, 2a, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1st, 2a, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1st, 2a, 4 Sanitary Cove Base Corner SCR/L-3419T 6 x 6 40 1st, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1st, 4 V-Cap WA-8262 2 x 6 66 1st, 2* V-Cap Outcorner WAC-8262 2 x 2 40 1st, 2* V-Cap In-Corner WAM-8262 2 x 2 200 1st, 2a, 4 Quarter Round A-106 3/4 x 6 152 1st, 2a, 4		Cove Base Corner ACRL-3401	4-1/4 × 4-1/4	30	1∎, 4
Cove Base Corner SCR/L-3601 6 x 6 20 1 m, 2 a, 4 Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1 m, 2 a, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1 m, 2 a, 4 Sanitary Cove Base S-3619T 6 x 6 40 1 m, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1 m, 4 V-Cap WA-8262 2 x 6 66 1 m, 2 x V-Cap Outcorner WAC-8262 2 x 2 40 1 m, 2 x V-Cap In-Corner WAM-8262 2 x 2 200 1 m Quarter Round A-106 3/4 x 6 152 1 m, 2 a, 4		Cove Base Corner SCR/L-3401	4-1/4 × 4-1/4	30	1, 2, 4
Sanitary Cove Base S-3419T (6" side) 4-1/4 x 6 60 1∎, 2 м, 4 Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1 м, 2 м, 4 Sanitary Cove Base S-3619T 6 x 6 40 1 м, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1 м, 4 V-Cap WA-8262 2 x 6 66 1 м, 2 м V-Cap Outcorner WAC-8262 2 x 2 40 1 м, 2 м V-Cap In-Corner WAM-8262 2 x 2 200 1 м м Quarter Round A-106 3/4 x 6 152 1 м, 2 м, 4		Cove Base A-3601	6 x 6	44	1∎, 2▲, 4
Sanitary Cove Base Corner SCR/L-3419T 4-1/4 x 6 20 1m, 2a, 4 Sanitary Cove Base S-3619T 6 x 6 40 1m, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1mm, 4 V-Cap WA-8262 2 x 6 66 1mm, 2 * V-Cap Outcorner WAC-8262 2 x 2 40 1mm, 2 * V-Cap In-Corner WAM-8262 * 2 x 2 200 1mm Quarter Round A-106 3/4 x 6 152 1m, 2a, 4		Cove Base Corner SCR/L-3601	6 x 6	20	1∎, 2▲, 4
Sanitary Cove Base S-3619T 6 x 6 40 1∎, 4 Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1x ∎, 4 V-Cap WA-8262 2 x 6 66 1x ∎, 2 x V-Cap Outcorner WAC-8262 2 x 2 40 1x ∎, 2 x V-Cap In-Corner WAM-8262 2 x 2 200 1x ∎ Quarter Round A-106 3/4 x 6 152 1 ≡, 2 x, 4		Sanitary Cove Base S-3419T (6" side)	4-1/4 x 6	60	1∎, 2▲, 4
Sanitary Cove Base Corner SCRL-3619T 6 x 6 20 1 x ■, 4 V-Cap WA-8262 2 x 6 66 1 x ■, 2 ★ V-Cap Outcorner WAC-8262 2 x 2 40 1 x ■, 2 ★ V-Cap In-Corner WAM-8262 2 x 2 200 1 x ■ Quarter Round A-106 3/4 x 6 152 1 ■, 2 ▲, 4		Sanitary Cove Base Corner SCR/L-3419T	4-1/4 x 6	20	1∎, 2▲, 4
V-Cap WA-8262 2 x 6 66 1xm, 2* V-Cap Outcorner WAC-8262 2 x 2 40 1xm, 2* V-Cap In-Corner WAM-8262 ★ 2 x 2 200 1xm Quarter Round A-106 3/4 x 6 152 1m, 2a, 4		Sanitary Cove Base S-3619T	6 x 6	40	1∎, 4
V-Cap Outcorner WAC-8262 2 x 2 40 1xm, 2* V-Cap In-Corner WAM-8262 ★ 2 x 2 200 1xm Quarter Round A-106 3/4 x 6 152 1m, 2a, 4		Sanitary Cove Base Corner SCRL-3619T	6 x 6	20	1 × m, 4
V-Cap In-Corner WAM-8262 + 2 x 2 200 1x a Quarter Round A-106 3/4 x 6 152 1a, 2a, 4		V-Cap WA-8262	2 x 6	66	1 × ≡, 2★
Quarter Round A-106 3/4 x 6 152 1m, 2a, 4	D	V-Cap Outcorner WAC-8262	2 x 2	40	1 ×≡ , 2★
	\Rightarrow	V-Cap In-Corner WAM-8262 +	2 x 2	200	1 × =
Quarter Round Outcorner AC-106 3/4 x 6 120 1m, 2a, 4		Quarter Round A-106	3/4 x 6	152	1∎, 2▲, 4
		Quarter Round Outcorner AC-106	3/4 x 6	120	1∎, 2▲, 4
Quarter Round Corner AU-106 ❖ 3/4 x 3/4 200 1 x ■		Quarter Round Corner AU-106 �	3/4 x 3/4	200	1 × =

- al order (excluding colors 0025,0090, & 0091), extended lead time may be required.
- Not available in 0045.
- Only available in 0049.
- Not available in 0037, 0038, 0039, 0040, 0041, 0064 & 0071. Not available in 0009, 0044, 0050, 0062, 0065, 0067, 0078, 0081 & 0095.
- These colors are made to order and requires 6-8 weeks for delivery from date of order.
- These shapes are made to order and requires 6-8 weeks for delivery from date of order.

Cover photo features Bright & Matte Pomegranate in 6 x 6 and Satinbrites/Satinglo Almond in 2 x 2 on the wall.

NOTES

Since there is shade variation in all fired ceramic products, the tile and trim supplied for your particular installation may not match these samples. Final selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

All or select items within this series are made in the USA. For more information visit www.americanolean.com

For additional information, refer to "Factors to Consider" at http://americanolean.com/factors-to-consider.cfm.



POST-CONSUMER RECYCLED MATERIALS



PRE-CONSUMER RECYCLED MATERIALS



MADE IN THE U.S.A.





Naturally, many of our products can help you earn LEED™ credits.



