



BRAZILIAN SLATE

STONE TALES

COMPACT

COLLECTION CATALOGUE

unicomstarker®

STONE TALES

BRAZILIAN SLATE



unicomstarker®

**Design italiano, superfici internazionali.
Brazilian Slate è la nuova collezione di
UNICOMSTARKER nata dalla ricerca delle
più belle ardesie del sud America.**


*Italian design, international surfaces.
Brazilian Slate is the new collection of UNICOMSTARKER born
from the research of most beautiful slates of South America.*



unicomstarker®

4

UNICOMSTARKER
STONETALES




BRAZILIAN SLATE RAIL BLACK
30 x 60 - 12" x 24"



6

UNICOMSTARKER
STONE TALES



○
BRAZILIAN SLATE SILK GREY
80 × 80 - 32" × 32"
BRAZILIAN SLATE SILK GREY HEXAGON
25 × 34 - 10" × 13"



○
BRAZILIAN SLATE ELEPHANT GREY PLANK
30 x 60 - 12" x 24"
BRAZILIAN SLATE ELEPHANT GREY
30 x 60 - 12" x 24"

8

UNICOMSTARKER
STONE TALES



○

BRAZILIAN SLATE OXFORD WHITE MOSAICO

30 x 30 - 12" x 12"

BRAZILIAN SLATE OXFORD WHITE

80 x 80 - 32" x 32"








○
BRAZILIAN SLATE PENCIL GREY
7.4 x 30 - 3" x 12"




USI - USE

Interni residenziali - *Residential interiors*
 Bagni - *Bathrooms*
 Locali commerciali - *Commercial premises*
 Spazi pubblici - *Public spaces*

COLORI - COLOURS

-  Oxford White
-  Silk Grey
-  Elephant Grey
-  Pencil Grey
-  Rail Black

FORMATI - SIZES







- **BRAZILIAN SLATE OXFORD WHITE**
60 × 120 - 24" × 48"
- **BRAZILIAN SLATE SILK GREY**
60 × 120 - 24" × 48"







○
BRAZILIAN SLATE SILK GREY
60 × 120 - 24" × 48"

16

UNICOMSTARKER
STONE TALES



○
BRAZILIAN SLATE SILK GREY HEXAGON
25 × 34 - 10" × 13"
BRAZILIAN SLATE SILK GREY
80 × 80 - 32" × 32"



18

UNICOMSTARKER
STONETALES



○
BRAZILIAN SLATE SILK GREY HEXAGON
25 x 34 - 10" x 13"
BRAZILIAN SLATE SILK GREY
80 x 80 - 32" x 32"



○

BRAZILIAN SLATE SILK GREY HEXAGON

25 × 34 - 10" × 13"

BRAZILIAN SLATE SILK GREY

80 × 80 - 32" × 32"

20

UNICOMSTARKER
STONE TALES



○
BRAZILIAN SLATE ELEPHANT GREY
60 × 60 - 24" × 24" / 60 × 120 - 24" × 48"





BRAZILIAN SLATE ELEPHANT GREY
60 x 60 - 24" x 24" / 60 x 120 - 24" x 48"



○ **BRAZILIAN SLATE** ELEPHANT GREY
7.4 x 30 - 3" x 12"





26

UNICOMSTARKER
STONE TALES



WOODEN BIRCH

30 × 119,5 - 12" × 48"

BRAZILIAN SLATE PENCIL GREY

60 × 120 - 24" × 48"

MAREA

LOUNGE BAR





BRAZILIAN SLATE PENCIL GREY CHEVRON DX/SX
12 x 53 - 4²³/₃₂" x 21"



○ **BRAZILIAN SLATE** PENCIL GREY CHEVRON DX/SX
12 x 53 - 423/32" x 21"

30

UNICOMSTARKER
STONETALES



○
BRAZILIAN SLATE PENCIL GREY
60 × 60 - 24" × 24" / 30 × 60 - 12" × 24"



32

UNICOMSTARKER
STONETALES



○
BRAZILIAN SLATE PENCIL GREY
60 × 60 - 24" × 24" / 30 × 60 - 12" × 24"



BRAZILIAN SLATE PENCIL GREY 
60 x 60 - 24" x 24" / 30 x 60 - 12" x 24"



○

BRAZILIAN SLATE SILK GREY PLANK

30 × 60 - 12" × 24"

BRAZILIAN SLATE SILK GREY

60 × 120 - 24" × 48"

BRAZILIAN SLATE RAIL BLACK

60 × 120 - 24" × 48"





BRAZILIAN SLATE RAIL BLACK

60 x 120 - 24" x 48"



BRAZILIAN SLATE RAIL BLACK CHEVRON DX/SX
12 x 53 - 423/32" x 21"

38

UNICOMSTARKER
STONE TALES




○
BRAZILIAN SLATE OXFORD WHITE
60 × 60 - 24" × 24"
30 × 60 - 12" × 24"


Oxford White

39

BRAZILIAN SLATE




MOSAICO



PLANK



HEXAGON



CHEVRON DX / SX


40

UNICOMSTARKER
STONE TALES

Silk Grey




MOSAICO



PLANK



HEXAGON



CHEVRON DX / SX

Elephant Grey

41

BRAZILIAN SLATE



MOSAICO



PLANK



HEXAGON




CHEVRON DX / SX

Pencil Grey



MOSAICO



PLANK



HEXAGON





CHEVRON DX / SX


Rail Black

43

BRAZILIAN SLATE




MOSAICO



PLANK



HEXAGON



CHEVRON DX / SX

TECHNICAL INFORMATION & PLUS

FORMATI - SIZES



RETTIFICATO

$$\frac{80 \times 80}{32'' \times 32''}$$
65


RETTIFICATO

$$\frac{60 \times 120}{24'' \times 48''}$$
66


RETTIFICATO | GRIP

$$\frac{60 \times 60}{24'' \times 24''}$$
54
55



RETTIFICATO

$$\frac{30 \times 60}{12'' \times 24''}$$
51



RETTIFICATO

$$\frac{15 \times 60}{6'' \times 24''}$$
66


RETTIFICATO

$$\frac{7.4 \times 30}{3'' \times 12''}$$
65



CHEVRON

$$\frac{12 \times 53}{423/32'' \times 21''}$$
85


MOSAICO

$$\frac{30 \times 30}{12'' \times 12''}$$
115


HEXAGON

$$\frac{25 \times 34}{10'' \times 13''}$$
34


PLANK

$$\frac{30 \times 60}{12'' \times 24''}$$
29

2THICK_20 MM



RETTIFICATO

$$\frac{60 \times 120}{24'' \times 48''}$$
96




tutte le informazioni riguardanti i pezzi speciali, soluzioni di layout e caratteristiche tecniche sono presenti nel catalogo 2thick

for all informations concerning special pcs, laying solutions and technical features please refers to the 2thick catalogue












pour toute information sur: pieces speciales, proposition pour la pose et les caracteristiques techniques voir catalogue 2thick collection

fuer weitere Informationen bzgl. Sonderstuecke, Verlegung und technische Daten finden Sie in unserem Katalog 2Thicks

PEZZI SPECIALI - SPECIAL ITEMS

GRADINO
RETTIFICATO | GRIP
$$\frac{30 \times 60}{12'' \times 24''}$$
33
34
GRADONE COSTA RETTA
RETTIFICATO | GRIP
$$\frac{30 \times 60 \times 4}{12'' \times 24'' \times 12/3''}$$
115
118
GRADONE ANGOLARE COSTA RETTA
RETTIFICATO | GRIP
$$\frac{30 \times 30 \times 4}{12'' \times 12'' \times 12/3''}$$
118
120
ELEMENTO A L
RETTIFICATO | GRIP
$$\frac{30 \times 60 \times 5}{12'' \times 24'' \times 2''}$$
49
50
GRADONE COSTA RETTA
RETTIFICATO
$$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 12/3''}$$
170
GRADONE ANGOLARE COSTA RETTA
RETTIFICATO
$$\frac{60 \times 120 \times 4}{24'' \times 48'' \times 12/3''}$$
180
BATTISCOPA SMALTATO
RETTIFICATO
$$\frac{7 \times 60}{23/4'' \times 24''}$$
15

$$\frac{9.5 \times 80}{4'' \times 32''}$$
24

	standards	characteristics or properties	declared values
	ISO 10545-3	assorbimento d'acqua water absorption	<0.5%
	ISO 10545-4	resistenza alla flessione breaking strength	35 N/mm ²
	ISO 10545-13	resistenza agli acidi resistance to acid	GLA
	ISO 10545-12	resistenza al gelo frost resistance	resiste frost proof
	ISO 10545-14	resistenza alle macchie stain resistance	4
	ISO 10545-2	planarità surface flatness	±0.5%
	ISO 10545-2	spessore thickness	10 mm
	DIN51097 DIN51130 ANSI A 137.1 DCOF BOT 3000 E	coefficiente d'attrito (scivolosità) static coefficient of friction	A R10 > 0.42
	DIN51097 DIN51130 ANSI A 137.1 DCOF BOT 3000 E	coefficiente d'attrito (scivolosità) static coefficient of friction	A+B+C R12 > 0.42
		variazioni cromatiche color shade variations	V3 variazione moderata V3 moderate variation
	ISO 10545-2	ortogonalità orthogonality	±0.6%

IMBALLI - PACKING

cm	inch		spessore thickness	pezzi/sc pcs/box	m ² /sc sqm/box	kg/sc kgs/box	sc/pl box/pal	m ² /pl sqm/pal	kg/pl kgs/pal
60x120	24"x48"	2thick_20mm rettificato	20	1	0.72	32.25	30	21.60	967.50
60x120	24"x48"	rettificato	10	2	1.44	31.80	30	43.20	954.00
60x60	24"x24"	rettificato grip	10	3	1.08	24.13	40	43.20	956.20
30x60	12"x24"	rettificato	10	6	1.08	24.09	40	43.20	963.60
15x60	6"x24"	rettificato	10	11	0.99	21.35	48	47.52	1024.80
80x80	32"x32"	rettificato	10	2	1.28	27.37	40	51.20	1094.80
12x53	4 ²³ / ₃₂ "x21"	chevron	10	12	0.76	17.70	48	36.48	849.60
7.4x30	3"x12"	rettificato	10	40	0.89	19.50	60	53.28	1170.00
30x30	12"x12"	mosaico		11	0.99	20.00	36	35.64	720.00
30x60	12"x24"	plank		5		19.65			
25x34	10"x13"	hexagon		6		11.10			
7x60	2 ³ / ₄ "x24"	battiscopa smaltato rettificato		12		11.16			
9.5x80	4"x32"	battiscopa smaltato rettificato		8		14.24			
30x60	12"x24"	gradino rettificato grip		8		31.60			
30x60x4	12"x24"x1 ² / ₃ "	gradone costa retta rettificato grip		4		19.40			
60x120x4	24"x48"x1 ² / ₃ "	gradone costa retta rettificato		2		34.80			
30x30x4	12"x12"x1 ² / ₃ "	gradone angolare costa retta grip		2		4.40			
60x120x4	24"x48"x1 ² / ₃ "	gradone angolare costa retta		1		18.20			
30x60x5	12"x24"x 2"	elemento a L grip		4		17.20			


FUGHE - JOINT - JOINT - FUGE

per materiale **rettificato** prevedere una fuga di almeno 2 mm sul monoformato e necessariamente 3 mm sul multiformato

for **rectified** material, we recommend a minimum of 2 mm of grout when using one size of piece only and 3 mm for multi-size laying solutions

pour le matériel **rectifié** prévoir un minimum de 2mm de joint et 3mm pour la pose multiformat

fuer **rettifiziertes** material-monoverlegung wollen sie bitte eine fuge von 2 mm vorsehen – fuer modolverlegung eine fuge von 3 mm





about unicomstarker

Unicomstarker é da anni sinonimo di materia ceramica di altissima qualità.

Il gruppo industriale di cui é espressione, si contraddistingue per una filosofia che coniuga un forte dinamismo imprenditoriale alla costante ricerca della più evoluta avanguardia tecnologica e produttiva oltre che ad una particolare sensibilità estetica e formale.

Una sinergia che ha nominato unicomstarker a livello internazionale come un trendsetter nel mercato delle piastrelle di ceramica.

La sua costante attenzione alle ultime tendenze del design degli interni e l'ottimo andamento tecnico rende i suoi prodotti adatti per tutti i tipi di architetture , sia gli edifici residenziali o commerciali , sia per le disposizioni interne o esterne.

Unicomstarker has been recognized for years for the outstanding quality of its products.

The philosophy of the group, unicomstarker srl, is based on a dynamic business strategy combined with cutting edge technological research and a sure sense of beauty and style.

A successful synergy that has appointed unicomstarker internationally as a trendsetter in the market of ceramic tiles.

Its constant attention to the latest trends in interior design and the excellent technical performance makes its products suitable for all type of architectures, either residential or commercial buildings, for interior or exterior arrangements.



**UNICOMSTARKER BRAZILIAN SLATE COLLECTION
IS A UNICOMSTARKER PROJECT**

CONTACTS

UNICOM SRL

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011
F italy +39 (0)536 926038
F world +39 (0)536 926033
F europe +39 (0)536 926023
unicomstarker.com

UNICOM STARKER SHOWROOM

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011



Ceramics of Italy

Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori e colori.


The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations and colours.

Le contenu de notre catalogue concernant les decors, coloris et graphiques est indicatif.

Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Decorationen und Farben.

Printed and bound in Italy

© 2020 unicom srl - all rights reserved



think
outside
the box

